SPORT LUME **ARENA LIGHT**




SONARAY®

SPORT LUME ARENA LIGHT

SONARAY®

185lm/W
System Efficacy

5 Years
Warranty

IK10
Rated

IP66
Rated

LASER POINTER

Contractors can now aim the OpSport-VI accurately in the daytime by fitting a high power laser pointer.



HIGH EFFICIENT HEAT DISSIPATION PERFORMANCE

EASY INSTALLATION

Universal mounting bracket and angle adjustment dial makes installing the OpSport-VI a breeze.adjustable angle ±90°.



ON BRACKET



BOX ON POLE

DRIVER INSIDE POLE

CABINET

www.sonaray.com.au

© 2025 Sonaray Australia. All rights reserved.
All company and product names are trademarks or registered trademarks of their respective owner. Specifications are subject to change without notice.

Version 1.0. Edited 2025.02

SPORT LUME ARENA LIGHT

SONARAY®

Item No.	Power	Luminous Efficacy	Luminous Flux	Beam Angle
FL-7500	500W	185lm/W	92,500lm	12° / 15° / 25° / 40° / T30
FL-7600	600W	185lm/W	111,000lm	
CRI: Ra≥70 (≥80, ≥90 available)			CCT: 5000K (3000K, 4000K, 5700K available)	

IP 66 | IK 10 | -30℃~+50℃ | ≥102,000hrs L70B50 at 35℃



Body Material: Aluminum
Optics Material: Polycarbonate
Bracket Material: Galvanized iron bracket
Dimmable Options: 1-10V, DALI, DMX

Power Supply: Inventronics/Moso
Power Factor : ≥ 0.97
Input Voltage: 100-277V~50/60Hz
Surge Protection: 10kV

Beam Angle: 12°



Beam Angle: 15°



Beam Angle: 25°



Beam Angle: 40°



Beam Angle: T30



Item No.	Power	Luminous Efficacy	Luminous Flux	Beam Angle
FL-7010	1000W	185lm/W	185,000lm	12° / 15° / 25° / 40° / T30
FL-7012	1200W	185lm/W	222,000lm	
CRI: Ra≥70 (≥80, ≥90 available)			CCT: 5000K (3000K, 4000K, 5700K available)	

IP 66 | IK 10 | -30℃~+50℃ | ≥102,000hrs L70B50 at 35℃



Body Material: Aluminum
Optics Material: Polycarbonate
Bracket Material: Galvanized iron bracket
Dimmable Options: 1-10V, DALI, DMX

Power Supply: Inventronics/Moso
Power Factor : ≥ 0.97
Input Voltage: 100-277V~50/60Hz
Surge Protection: 10kV

Beam Angle: 12°



Beam Angle: 15°



Beam Angle: 25°



Beam Angle: 40°



Beam Angle: T30



www.sonaray.com.au

© 2025 Sonaray Australia. All rights reserved.
All company and product names are trademarks or registered trademarks of their respective owner. Specifications are subject to change without notice.

Version 1.0. Edited 2025.02